

Index of Authors

with the titles of papers

- ACHAHBAR, A., GARRIDO, P. L., and MARRO, J.: On the equilibrium and time relaxation of a lattice gas in several boxes, 1157
- ADAMSON, R. D., *see* Gill, P. M. W.
- AGEEV, S. Z., MAN, P. P., and SANCTUARY, B. C.: Solomon echoes for spin 7/2 by soft pulse excitation, 1277
- AGREITER, J., *see* Smith, A. M.
- AL-ADEL, F., *see* Hegazi, E.
- ALEJANDRE, J., LOZADA-CASSOU, M., and DEGRÈVE, L.: Effect of pore geometry on a confined hard sphere fluid, 1317
- ALEKSEYEV, A. B., LIEBERMANN, H.-P., BUENKER, R. J., and HIRSCH, G.: *Ab initio* study of the low-lying states of SnH, 591
- ALIJA, A., and BEUGER, M.: Rotation-vibrational states of D_2H^+ computed using hyper-spherical harmonics, 497
- ALLEN, M. P., *see* Camp, P. J.
- ALLEN, W. D., *see* Miller, D. M.
- ALLOTT, R., *see* Jones, W. J.
- ALONSO, J. A., CORDERO, N. A., and MARCH, N. H.: Electrostatic potential at the nucleus of a neutral atom related to electronic correlation energies of atomic ions, 1365
- AMBERGER, H.-D., JANK, S., REDDMANN, H., and EDELMANN, F. T.: Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente 39. Experimentelle Erfassung und Simulation des Kristallfeld-Aufspaltungsmusters von $(\eta^2\text{-Cyclooctatetraenyl})[\text{hydrotris}(3,5\text{-dimethylpyrazol-1-yl})\text{borato}]\text{-praseodym(III)} \{(\text{COT})\text{Pr}[\text{HB}(\text{Me}_2\text{pz})_3]\}$, 1439
- ANDREW, E. R., KEMPKA, M., and SZYCZEWSKI, A.: Molecular dynamics of solid cortisol studied by NMR, 605
- ÁNGYÁN, J. G., *see* Jansen, G.
- ANNAPURNA PADMAVATHI, D., *see* Bowman, J. M.
- APPELHAGEN, A., *see* Luchnikov, V. A.
- ARMENTROUT, P. B., *see* Meyer, F.
- ASHFOLD, M. N. R., *see* Wilson, S. H. S.
- BACSKAY, G. B., *see* Lü, T.-X.
- BAIN, C. D., *see* Ward, R. N.
- BARAN, J., *see* Jones, W. J.
- BARNHOORN, J. B. S., and DE LANGE, C. A.: ^1H , ^{19}F and ^2H NMR of monofluoromethane and deuterated analogues partially oriented in nematic liquid crystals, 1
- BARRA, A. L., and ROBERT, J. B.: Parity non-conservation and NMR parameters, 875
- BAUDER, A., *see* Connelly, J. P.
- BELL, G. R., *see* Ward, R. N.
- BERRY, R. S., *see* Mainz, D. T.
- BEUGER, M., *see* Alijah, A.
- BHUPATHIRAJU, R., CUMMINGS, P. T., and COCHRAN, H. D.: An efficient parallel algorithm for non-equilibrium molecular dynamics simulations of very large systems in planar Couette flow, 1665
- BISHOP, D. M., and DUPUIS, M.: The interaction polarizability and interaction second-hyperpolarizability for $\text{He} \cdots \text{He}$, 887
- BLUM, L., and DEGRÈVE, L.: Monte Carlo study of an octupolar potential for water, 585
- BONDYBEY, V. E., *see* Smith, A. M.
- BORYSOW, A., *see* Gruszka, M.
- BOWLES, R. K., and SPEEDY, R. J.: The vapour pressure of glassy crystals of dimers (Erratum), 1671

- BOWMAN, J. M., and ANNAPURNA PADMAVATHI, D.: Quantum calculations of inelastic scattering of HCN and HNC by Ar, 21
- BROOKES, M. D., CLIFT, D. J. M., LOW, R. J., BROWN, J. M., and HOWARD, B. J.: The structure of CO-OCS: a spectroscopic and theoretical investigation, 899
- BROWN, J. M., *see* Brookes, M. D.
- BROWN, W. E., LEOTE DE CARVALHO, R. J. F., and EVANS, R.: The Fisher-Widom line for a hard core attractive Yukawa fluid, 579
- BUNCKER, R. J., *see* Alekseyev, A. B.
- BUNKER, P. R., *see* Kolbuszewski, M.
- BURNELL, E. E., *see* Polson, J. M.
- BURROWS, B. L., COHEN, M., and FELDMANN, T.: Quasi exact solutions for an asymmetric double well potential, 611
- CAMP, P. J., and ALLEN, M. P.: Phase coexistence in a pseudo Gibbs ensemble, 1459
- ČÁRSKÝ, P., *see* Sychrovský, V.
- CELEBRE, G., DE LUCA, G., LONGERI, M., and FERRARINI, A.: Investigation of internal and external potentials acting on benzyl halides dissolved in different nematic solvents (Erratum), 1419
- CHAN, K.-Y., *see* Yau, D. H. L.
- CHISHOLM, A., *see* Connelly, J. P.
- CIOŚŁOWSKI, J.: Theory of response properties of atoms in molecules, 621
- CLARY, D. C., *see* Gregory, J. K.
- CLIFT, D. J. M., *see* Brookes, M. D.
- COCHRAN, H. D., *see* Bhupathiraju, R.
- COCHRAN, H. D., *see* Cui, S. T.
- COHEN, M., *see* Burrows, B. L.
- COHEN DE LARA, E., *see* Larin, A. V.
- COLOGNESI, D., DE SANTIS, A., and ROCCA, D.: The reverse Monte Carlo technique applied to fluids of diatomic molecules, 465
- CONNELLY, J. P., BAUDER, A., CHISHOLM, A., and HOWARD, B. J.: Internal motion effects in the microwave spectrum of OCS trimer, 915
- CORDERO, N. A., *see* Alonso, J. A.
- CORIANI, S., RIZZO, A., RUUD, K., and HELGAKER, T.: MCSCF calculations of hypermagnetizabilities and nuclear shielding polarizabilities of CO and CH₄, 931
- COURIS, S., *see* Koudoumas, E.
- CRAIG, D. P., and THIRUNAMACHANDRAN, T.: The influence of intermolecular coupling on spontaneous emission, 631
- CREMER, D., *see* Kim, S.-J.
- CUI, S. T., CUMMINGS, P. T., and COCHRAN, H. D.: The calculation of the viscosity from the autocorrelation function using molecular and atomic stress tensors, 1657
- CUMMINGS, P. T., *see* Bhupathiraju, R.
- CUMMINGS, P. T., *see* Cui, S. T.
- CVIKL, B., and DAHLBORG, U.: QNS investigation of d-EBBA core reorientations in oriented nematic and isotropic phases, 419
- DAHLBORG, U., *see* Cvikl, B.
- DASTAGEER, A., *see* Hegazi, E.
- DEBENEDETTI, P. G., *see* Speedy, R. J.
- DEGRÈVE, L., *see* Alejandre, J.
- DEGRÈVE, L., *see* Blum, L.
- DE LANGE, C. A., *see* Barnhoorn, J. B. S.
- DE LUCA, G., *see* Celebre, G.
- DE SANTIS, A., *see* Colognesi, D.
- DHAM, A. K., and MEATH, W. J.: Multi-property predictions from recent He-CO potential energy surfaces and related comments on the nature of heteronuclear-rare gas interactions, 339
- DIAS, J. R.: Properties and relationships of right-hand mirror-plane fragments and their eigenvectors: the concept of complementarity of molecular graphs. Molecular orbital functional groups—Part 2, 407

- DICKINSON, A. S., *see* Liu, W.-K.
- DISCH, R. L., *see* Schulman, J. M.
- DIXON, R. N.: Photodissociation dynamics of \tilde{A} state ammonia molecules. III. A three-dimensional time-dependent calculation using *ab initio* potential energy surfaces, 949
- DOKTOROV, A. B., and KIPRIYANOV, A. A.: The concept of effective spheres in the theory of bimolecular processes in liquid solutions, 453
- DOLG, M.: Accuracy of energy-adjusted quasirelativistic pseudopotentials: a calibration study of XH and X_2 ($X = F, Cl, Br, I, At$), 1645
- DONG, R. Y.: Global analysis of deuteron relaxation data in MBBA, 979
- DUFFY, D. C., *see* Ward, R. N.
- DUPUIS, M., *see* Bishop, D. M.
- DYKE, J. M., *see* Lee, E. P. F.
- EDELMANN, F. T., *see* Amberger, H.-D.
- EGOROV, S. A., STEPHENS, M. D., YETHIRAJ, A., and SKINNER, J. L.: Structure and dynamics of infinitely dilute solutions, 477
- ENNINGHORST, A., WAYNE, F. D., and ZEIDLER, M. D.: Density dependence of self-diffusion in liquid pentanes and pentane mixtures, 437
- ESKOLA, S. M.: Kinetics of the toluene-iodine complex formation as revealed by Raman spectroscopy, 1205
- ESKOLA, S. M.: Lifetimes of the iodine-(*o*- and *p*-)xylene complexes, 1211
- ESKOLA, S. M., *see* Lindroos, A. E.
- ESKOLA, S. M., and STENMAN, F.: A simple method for determining reaction kinetics from Raman spectra of molecular complexes, 1187
- ESKOLA, S. M., and STENMAN, F.: Raman scattering from the iodine-mesitylene complex, 1471
- ESPOSTI, C. D., TAMASSIA, F., PUZZARINI, C., TARRONI, R., and ZELINGER, Z.: Millimetre-wave and infrared spectroscopy of $Br^{13}CN$: anharmonic force field of cyanogen bromide from spectroscopic data and *ab initio* calculations, 1603
- EVANS, R., *see* Brown, W. E.
- FALCETTA, M. F., and SISKI, P. E.: The long-range interaction between He and H_2^+ : an *ab initio* and dynamical study, 647
- FALCINELLI, S., FERNÁNDEZ-ALONSO, F., KALOGERAKIS, K. S., and ZARE, R. N.: Mass spectrometric detection of alkaline earth monohalide dications, 663
- FELDMANN, T., *see* Butrows, B. L.
- FERNÁNDEZ-ALONSO, F., *see* Falcinelli, S.
- FERRARINI, A., *see* Celebre, G.
- FILINOV, V. S.: Wigner approach to quantum statistical mechanics and quantum generalization molecular dynamics method. Part 1, 1517
- FILINOV, V. S.: Wigner approach to quantum statistical mechanics and quantum generalization molecular dynamics method. Part 2, 1529
- FISHER, M. E., *see* Lai, S.-N.
- FOWLER, P. W., LEGON, A. C., and PEEBLES, S. A.: Nuclear quadrupole coupling constants in complexes $B \cdots X_2$: Sternheimer-type properties of free X_2 from experimental intramolecular charge shifts, 987
- FOWLER, P. W., *see* Wilson, M.
- FUNG, K. H., and RAMSAY, D. A.: Doppler-free Stark spectra of the 4_0^1 band of the $\tilde{A}^1A_2 - \tilde{X}^1A_1$ system of thioformaldehyde, 997
- GARCÍA-COLÍN, L. S., and MICENMACHER, V.: Some thoughts about the non-equilibrium temperature, 399
- GARRIDO, P. L., *see* Achahbar, A.
- GARZÓ, V., *see* Marín, C.
- GEIGER, A., *see* Luchnikov, V. A.
- GELB, L. D.: Decorated lattice models for surface phase transitions, 1541
- GHERSETTI, S., *see* Stoppa, P.
- GILL, P. M. W., ADAMSON, R. D., and POPL, J. A.: Coulomb-attenuated exchange energy density functionals, 1005
- GIORGIANI, S., *see* Stoppa, P.

- GRAHAM, E. B., and RAAB, R. E.: Reflection from a fluid in a uniform electric field, 1011
- GREGORY, J. K., and CLARY, D. C.: Quantum simulation of the benzene-water complex, 33
- GROFCSIK, A., *see* Jones, W. J.
- GRUSZKA, M., and BORYSOW, A.: New analysis of the spectral moments of collision induced absorption in gaseous N_2 and CO_2 , 1173
- HALL, G. G.: Samuel Francis Boys 1911-1972, 309
- HALL, G. G., *see* Rees, D.
- HAMDAN, A., *see* Hegazi, E.
- HAN, S., and YARKONY, D. R.: Radiative and radiationless decay of multichannel resonances resulting from electronically non-adiabatic interactions: a computational approach valid for both narrow and broad line-widths and large energy shifts, 53
- HANDY, N. C., *see* Papadopoulos, M. G.
- HARRISON, J. F., *see* Schultz, P. W.
- HÄTTIG, C., *see* Jansen, G.
- HAYASHI, S., *see* Nakagawa, T.
- HAYMET, A. D. J., *see* Lü, T.-X.
- HE, T., *see* Wen, H.
- HEGAZI, E., HAMDAN, A., DASTAGEER, A., and AL-ADEL, F.: Single vibronic level fluorescence spectra of the F band of SO_2 , 1479
- HEIJMEN, T. G. A., *see* Moszynski, R.
- HELGAKE, T., *see* Coriani, S.
- HENDERSON, D., *see* Trokhymchuk, A.
- HENDERSON, D., *see* Yau, D. H. L.
- HESS, B. A., *see* Jansen, G.
- HESS, B. A. JR., *see* Smentek, L.
- HEYES, D. M., NUEVO, M. J., and MORALES, J. J.: Self-diffusion of large solid clusters in a liquid by molecular dynamics simulation, 1503
- HINDS, K., LEGON, A. C., and HOLLOWAY, J. H.: Rotational spectrum and properties of a complex of hydrogen cyanide and chlorine monofluoride, 673
- HIRSCH, G., *see* Alekseyev, A. B.
- HOLLOWAY, J. H., *see* Hinds, K.
- HOWARD, B. J., *see* Brookes, M. D.
- HOWARD, B. J., *see* Connelly, J. P.
- HOWE, J. D., *see* Wilson, S. H. S.
- HUNG, M. S., *see* Kwok, W. M.
- IOANNOU, I. I., *see* Sun, L.
- JANK, S., *see* Amberger, H.-D.
- JANSEN, G., HÄTTIG, C., HESS, B. A., and ÁNGYÁN, J. G.: Intermolecular interaction energies by topologically partitioned electric properties. 1. Electrostatic and induction energies in one-centre and multicentre multipole expansions, 69
- JENSEN, P., *see* Kolbuszewski, M.
- JESCHKE, G., and SCHWEIGER, A.: Generation and transfer of coherence in electron-nuclear spin systems by non-ideal microwave pulses, 355
- JEZIORSKI, B., *see* Moszynski, R.
- JONES, W. J., ALLOTT, R., BARAN, J., GROFCSIK, A., KUBINYI, M., and STANLEY, M.: Nonlinear Raman spectroscopy of liquid crystals: orientational alignment and switching behaviour in a ferroelectric liquid crystal mixture, 1025
- KAATZ, P., and SHELTON, D. P.: Collision induced hyper-Rayleigh light scattering in CCl_4 , 683
- KALOGERAKIS, K. S., *see* Falcinelli, S.
- KEMPKA, M., *see* Andrew, E. R.
- KIM, S.-J., SCHAEFER III, H. F., KRAKA, E., and CREMER, D.: Dioxirane vibrational frequencies: an unsettling relationship between theory and experiment, 93
- KIPRIYANOV, A. A., *see* Doktorov, A. B.
- KLEIN, M. L., *see* Laasonen, K.

- KOLBUSZEWSKI, M., BUNKER, P. R., KRAEMER, W. P., OSMANN, G., and JENSEN, P.: An *ab initio* calculation of the rovibronic energies of the BH_2 molecule, 105
- KOUDOUMAS, E., RUTH, A. A., COURIS, S., and LEACH, S.: Solvent effects on the optical limiting action of C_{60} solutions, 125
- KRAEMER, W. P., *see* Kolbuszewski, M.
- KRAKA, E., *see* Kim, S.-J.
- KRIEBEL, C., and WINKELMANN, J.: Thermodynamic properties of polarizable Stockmayer fluids: perturbation theory and simulation, 559
- KUBINYI, M., *see* Jones, W. J.
- KUCZKOWSKI, R. L., *see* Sun, L.
- KUNTZ, P. J.: A DIM model for sodium cluster-ions interacting with a charged conducting sphere, 693
- KWOK, W. M., HUNG, M. S., and PHILLIPS, D. L.: Femtosecond photodissociation dynamics of nitroethane and 1-nitropropane in the gas and solution phases from resonance Raman intensity analysis, 517
- LAASONEN, K., and KLEIN, M. L.: *Ab initio* molecular dynamics study of dilute hydrofluoric acid, 135
- LABÍK, S., and SMITH, W. R.: Computer simulation of the chemical potential and adsorption isotherm of hard spheres in a hard slit-like pore, 1411
- LAI, S.-N., and FISHER, M. E.: Criticality in Gaussian-molecule mixtures, 1373
- LAKSHMINARAYAN, A., *see* Santhanam, M. S.
- LARIN, A. V., and COHEN DE LARA, E.: Estimate of ionicity of zeolite NaA using the frequency shift values of physisorbed molecular hydrogen, 1399
- LEACH, S., *see* Koudoumas, E.
- LEE, E. P. F., and DYKE, J. M.: An investigation of the reaction of O^- with CH_2F_2 with *ab initio* molecular orbital calculations, 143
- LEGON, A. C., *see* Fowler, P. W.
- LEGON, A. C., *see* Hinds, K.
- LEOTE DE CARVALHO, R. J. F., *see* Brown, W. E.
- LEROI, G. E., *see* Schultz, P. W.
- LE ROY, R. J., *see* Wang, F.
- LIEBERMANN, H.-P., *see* Alekseyev, A. B.
- LINDROOS, A., ESKOLA, S. M., and STENMAN, F.: Raman scattering from the iodine-durene complex, 1217
- LIU, F.-C., *see* Wen, H.
- LIU, W.-K., and DICKINSON, A. S.: Comparison of classical trajectory and quantal close-coupling calculation of generalized cross sections for N_2^+-He mixtures, 161
- LONGERI, M., *see* Celebre, G.
- LORENZ, M., *see* Smith, A. M.
- LOW, R. J., *see* Brookes, M. D.
- LOZADA-CASSOU, M., *see* Alejandro, J.
- LÜ, T.-X., BACSKAY, G. B., and HAYMET, A. D. J.: Calculation of solvation energies: the self-consistent multipole moment reaction field method, 173
- LUCHNIKOV, V. A., MEDVEDEV, N. N., APPELHAGEN, A., and GEIGER, A.: Medium-range structure of amorphous silicon studied by the Voronoi-Delaunay method, 1337
- MACDOWELL, L. G., *see* Vega, C.
- MACHIDA, K., *see* Nakagawa, T.
- MADDEN, P. A., *see* Wilson, M.
- MAINZ, D. T., and BERRY, R. S.: Effect of potential energy topography on dynamics and phase behaviour of clusters, 709
- MAN, P. P., *see* Ageev, S. Z.
- MARCH, N. H.: The virial of Clausius in condensed phases and in free molecules, 1039
- MARCH, N. H., *see* Alonso, J. A.
- MARÍN, C., MONTANERO, J. M., and GARZÓ, V.: Monte Carlo simulation of the Boltzmann equation in the colour conductivity problem for general repulsive potentials, 1249
- MARRO, J., *see* Achahbar, A.

- McCOURT, F. R. W., *see* Wang, F.
McDOWELL, C. A., *see* Nakai, T.
McKELLAR, A. R. W., *see* Xu, Y.
MEATH, W. J., *see* Dham, A. K.
MEDVEDEV, N. N., *see* Luchnikov, V. A.
MEYER, F., and ARMENTROUT, P. B.: Sequential bond energies of $\text{Ti}(\text{CO})_x^+$, $x = 1-7$, 187
MEYER, H., MÜLLER, T., and SCHWEIG, A.: MR-SDCI study on high-energy electron and X-ray scattering cross-sections of linear molecules, 1563
MICENMACHER, V., *see* García-Colín, L. S.
MILLER, D. M., ALLEN, W. D., and SCHAEFER III, H. F.: The electron affinity of CF_3 , 727
MIWA, Y., *see* Nakagawa, T.
MONTANERO, J. M., *see* Marin, C.
MORALES, J. J., *see* Heyes, D. M.
MOSZYNSKI, R., HEIJMEN, T. G. A., and JEZIORSKI, B.: Symmetry-adapted perturbation theory for the calculation of Hartree-Fock interaction energies, 741
MÜLLER, T., *see* Meyer, H.
NAKAGAWA, T., UMEMURA, J., HAYASHI, S., OOBATAKE, M., MIWA, Y., and MACHIDA, K.: Molecular dynamics study of the spectroscopic properties of liquid benzene, 1635
NAKAI, T., and McDOWELL, C. A.: Calculation of rotational resonance NMR spectra using Floquet theory combined with perturbation treatment, 1263
NICOLAIDES, A., and RADOM, L.: An evaluation of the performance of G2, G2(MP2) and G2(MP2,SVP) theories for heats of formation and heats of reaction in the case of 'large' hydrocarbons, 759
NORDIO, P. L., and POLIMENO, A.: Charge transfer dynamics in photophysical systems: a case of saddle point avoidance, 315
NUEVO, M. J., *see* Heyes, D. M.
OGILVIE, J. F.: The electric polarity $^+\text{GeS}^-$ from analysis of only frequencies and wavenumbers of pure rotational and vibration-rotational spectra, 1055
OOBATAKE, M., *see* Nakagawa, T.
OSMANN, G., *see* Kolbuszewski, M.
PAPADOPOULOS, M. G., WILLETTS, A., HANDY, N. C., and UNDERHILL, A. E.: The static polarizabilities and hyperpolarizabilities of LiH : electronic and vibrational contributions, 1063
PATEY, G. N., *see* Shelley, J. C.
PEEBLES, S. A., *see* Fowler, P. W.
PEEBLES, S. A., *see* Wilson, M.
PERERA, A., and SOKOLIĆ, F.: On the phase diagrams of fluids of linearly fused Lennard-Jones sites, 543
PHILLIPS, D. L., *see* Kwok, W. M.
PIZIO, O., *see* Trokhymchuk, A.
POLIMENO, A., *see* Nordio, P. L.
POLSON, J. M., and BURNELL, E. E.: Monte Carlo simulations of orientational ordering of solutes in a nematic solvent: comparison with mean-field models, 767
POPLE, J. A., *see* Gill, P. M. W.
PUZZARINI, C., *see* Esposti, C. D.
RAAB, R. E., *see* Graham, E. B.
RADOM, L., *see* Nicolaides, A.
RAMSAY, D. A., *see* Fung, K. H.
REDDMANN, H., *see* Amberger, H.-D.
REES, D., and HALL, G. G.: Generalized hybrid atomic orbitals, 1077
RIERA, A.: Elimination of asymptotic couplings in atomic and molecular dynamics, 199
RIZZO, A., *see* Coriani, S.
ROBERT, J. B., *see* Barra, A. L.
ROBERTS, J. E., WOODMAN, B. L., and SCHNITKER, J.: The reaction field method in molecular dynamics simulations of point-polarizable water models, 1089

- ROCCA, D., *see* Colognesi, D.
ROSENFELD, Y.: Ewald method for simulating Yukawa systems, 1357
RUSSELL, A. J., and SPACKMAN, M. A.: Accurate *ab initio* study of acetylene. Vibrational and rotational corrections to electrical properties, 1109
RUTH, A. A., *see* Koudoumas, E.
RUUD, K., *see* Coriani, S.
- SANCTUARY, B. C., *see* Ageev, S. Z.
SANTHANAM, M. S., SHEOREY, V. B., and LAKSHMINARAYAN, A.: Identification of localized states in chaotic quantum systems, 325
SCHAEFER III, H. F., *see* Kim, S.-J.
SCHAEFER III, H. F., *see* Miller, D. M.
SCHNITKER, J., *see* Roberts, J. E.
SCHOFIELD, P., *see* Zetterström, P.
SCHULMAN, J. M., and DISCH, R. L.: Planar and non-planar borepins, 213
SCHULTZ, P. W., LEROI, G. E., and HARRISON, J. F.: *Ab initio* calculations of ionic and hydrogen bonding interactions with the OCN^- , SCN^- and SeCN^- anions, 217
SCHWEIG, A., *see* Meyer, H.
SCHWEIGER, A., *see* Jeschke, G.
SEAR, R. P.: Translational ordering in systems of rods and discs: the effect of discretizing the orientational and/or the translational degrees of freedom, 1427
SHELLEY, J. C., and PATEY, G. N.: Boundary condition effects in simulations of water confined between planar walls, 385
SHELTON, D. P., *see* Kaatz, P.
SHEOREY, V. B., *see* Santhanam, M. S.
SISKA, P. E., *see* Falcetta, M. F.
SKINNER, J. L., *see* Egorov, S. A.
SMENTEK, L., and HESS, B. A. JR.: Perturbing influence of spin-orbit interaction upon the two-photon absorption in $4f^N$ systems, 783
SMITH, A. M., LORENZ, M., AGREITER, J., and BONDYBEY, V. E.: Electronic structure of diatomic boron carbide, 247
SMITH, W. R., *see* Labík, S.
SOKOLIĆ, F., *see* Perera, A.
SOKOŁOWSKI, S., *see* Trokhymchuk, A.
SOPER, A. K., *see* Zetterström, P.
SPACKMAN, M. A., *see* Russell, A. J.
SPEEDY, R. J., *see* Bowles, R. K.
SPEEDY, R. J., and DEBENEDETTI, P. G.: The distribution of tetravalent network glasses, 1293
STANLEY, M., *see* Jones, W. J.
STENMAN, F., *see* Eskola, S. M.
STENMAN, F., *see* Lindroos, A.
STEPHENS, M. D., *see* Egorov, S. A.
STOLL, H., and WERNER, H.-J.: The Cr_2 potential curve: a multireference pair functional treatment, 793
STOPPA, P., GIORGIANNI, S., and GHERSETTI, S.: Diode laser spectrum and rovibrational analysis of the ν_{10} band of *cis*-1,2-difluoroethylene, 533
SUN, L., IOANNOU, I. I., and KUCZKOWSKI, R. L.: The microwave spectrum and structure of the carbon dioxide-sulphur dioxide complex, 255
SYCHROVSKÝ, V., and ČÁRSKY, P.: B_k approximation applied to CI-SDTQ, 1137
SZYCZEWSKI, A., *see* Andrew, E. R.
- TAMASSIA, F., *see* Esposti, C. D.
TARRONI, R., *see* Esposti, C. D.
TERAZIMA, M.: A transient grating detection method of circular dichroism, 1223
THIRUNAMACHANDRAN, T., *see* Craig, D. P.
TROKHYMCHUK, A., PIZIO, O., HENDERSON, D., and SOKOŁOWSKI, S.: Density profiles for a dimerizing hard sphere fluid near an associatively adsorbing hard wall: a Monte Carlo study, 1491

- UMEMURA, J., *see* Nakagawa, T.
UNDERHILL, A. E., *see* Papadopoulos, M. G.
- VAN DER WAALS, J. H., *see* van Tol, J.
VAN TOL, J., and VAN DER WAALS, J. H.: The lowest triplet state of luminescent scheelites: a study of the MoO_4^{2-} ion by electron paramagnetic resonance with optical detection, 803
VEGA, C., and MACDOWELL, L. G.: Understanding the critical properties of chain molecules, 1575
- WANG, F., MCCOURT, F. R. W., and LE ROY, R. J.: Use of simulated infrared spectra to test N_2 -Ar pair potentials and dipole moment surfaces, 821
WARD, R. N., DUFFY, D. C., BELL, G. R., and BAIN, C. D.: Orientation of benzoate ions bound to a monolayer of a cationic surfactant at the surface of water, 269
WAYNE, F. D., *see* Enninghorst, A.
WEN, H., HE, T., XU, C., ZUO, J., and LIU, F.-C.: Surface enhancement of Raman and absorption spectra from cyanine dye D266 adsorbed on ZnO colloids, 281
WERNER, H.-J., *see* Stoll, H.
WILLETTS, A., *see* Papadopoulos, M. G.
WILSON, M., MADDEN, P. A., PEBBLES, S. A., and FOWLER, P. W.: Cation polarization and the crystal structure of SnO, 1143
WILSON, S. H. S., HOWE, J. D., and ASHFOLD, M. N. R.: On the near ultraviolet photo-dissociation of hydrogen sulphide, 841
WINKELMANN, J., *see* Kriebel, C.
WOODMAN, B. L., *see* Roberts, J. E.
WOOLLEY, R. G.: Gauge invariance and the electric polarization field, 291
- XIE, D., and YAN, G.: A refined potential energy function for the electronic ground state of NO_2 , 1349
XU, C., *see* Wen, H.
XU, Y., and MCKELLAR, A. R. W.: The infrared spectrum of the Ar-CO complex. Comprehensive analysis including van der Waals stretching and bending states, 859
- YAN, G., *see* Xie, D.
YARKONY, D. R., *see* Han, S.
YAU, D. H. L., CHAN, K.-Y., and HENDERSON, D.: A further test of the Boublik *et al.* equations for binary hard sphere mixtures, 1237
YETHIRAJ, A., *see* Egorov, S. A.
- ZARE, R. N., *see* Falcinelli, S.
ZARKOVA, L.: An isotropic intermolecular potential with temperature dependent effective parameters for heavy globular gases, 489
ZEIDLER, M. D., *see* Enninghorst, A.
ZELINGER, Z., *see* Esposti, C. D.
ZETTERSTRÖM, P., SOPER, A. K., and SCHOFIELD, P.: Parameterization of the Van Hove dynamic self-scattering law $S_s(Q, \omega)$, 1621
ZUO, J., *see* Wen, H.

